

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	(710/29.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:59
L2	114	(710/30.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:59
L3	340	(710/105.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:59
L4	136	(710/106.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:59
L5	628	(710/107.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:59
L6	235	("370/471".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L7	620	("370/474".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L8	140	("714/708".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L9	361	("370/477".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00

L10	72	(370/481.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L11	72	(370/481.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L12	211	(370/493-495.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L13	176	(370/528.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L14	391	(709/236.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L15	179	(709/233.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L16	393	(709/232.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L17	114	(710/30.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L18	340	(710/105.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:00
L19	220	(710/29.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:01

L20	136	(710/106.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:01
L21	628	(710/107.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:01
S1	0	("adjust rate" with "signal strength") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:30
S2	0	("adjust speed" with "signal strength") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:30
S3	0	("adjust rate" same "signal strength") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:31
S4	17	("adjust rate" same "strength") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:31
S5	2	"4589111".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:28
S6	219	(710/29.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 08:32
S7	114	(710/30.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:29
S8	340	(710/105.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 13:17

S9	136	(710/106.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:29
S10	622	(710/107.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:29
S11	3	((("first data rate" same "second data rate") same header same data) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:37
S12	0	((("first rate" with header) same ("second rate" with data)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:37
S13	0	((("first rate" with data) same ("second rate" with header)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:38
S14	85	((("first rate" with data) same ("second rate" with control)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:38
S15	86	((("first rate" with control) same ("second rate" with data)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 15:38
S16	32	"4589111".URPN.	USPAT	OR	ON	2004/03/17 15:40
S17	4	(wireless with equivalent with bus) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:06
S18	21	("wireless bus") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:16
S19	417	harriman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:16

S20	9	harriman.in. and achilles.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:17
S21	311	(wireless with disadvantage) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:40
S22	50	(wireless near2 disadvantage) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:47
S23	284	(wireless near2 interference) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:01
S24	4	"664718".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 07:56
S25	3	(ack with resend with known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:02
S26	3	(ack with resend with \$5known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:02
S27	3	(ack\$8 with resend with \$5known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:02
S28	164	(ack\$8 with resend) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:41
S29	1	(ack\$8 with (resend retransmit) with "error message") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:42

S30	57	(ack\$8 with (resend retransmit with error) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:52
S31	82	((resend retransmit retransmission) with "error message") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:38
S32	75	((resend retransmit retransmission) with "error signal") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:54
S33	74	((((resend retransmit retransmission) with "error signal") and @ad<"19990410") not (((resend retransmit retransmission) with "error message") and @ad<"19990410"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:39
S34	17	(signal adj prior adj2 (retransmission resending)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:28
S35	13	("error register" same increment same decrement) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:32
S36	29	("error counter" same increment same decrement) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:08
S37	12	("signal strength register") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:11
S38	0	("signal-strength register") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:11
S39	158	("signal strength" with register) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:04

S40	2	("signal strength" with register with adjust) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:08
S41	1780	((second with rate) same multiple same (first with rate)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:09
S42	74	((("second rate") with multiple with ("first rate")) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:07
S43	21	((("second rate") with integral with ("first rate")) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:12
S44	228	(rate with integral with (transmit transmission)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:41
S45	2	"5448561".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:55
S46	204	"wo 88/" and reed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:57
S47	10256	reed.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:57
S48	0	reed.in. and ("wo " adj 88/004\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:58
S49	5	reed and ("wo " adj 88/004\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 07:58

S50	12046	("integral multiple") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:07
S51	1144	("integral multiple" same rate) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:07
S52	361	("integral multiple" same rate same data) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:07
S53	262	("integral multiple" same (rate with data)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:09
S54	1813	("integral multiple" same first same second) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:09
S55	1105	("integral multiple" with first with second) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:22
S56	101	("integral multiple" with first with second with rate) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:12
S57	38	("integral multiple" with first with second with channel) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:14
S58	3	("integral multiple" with "channel rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:14
S59	51	("integral multiple" with "data rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 07:56

S60	13	("integral multiple" with header with (data body)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:19
S61	2	((header with ("first rate" "first data rate")) same ((data body) with ("first rate" "first data rate"))) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:02
S62	1	((header with ("first rate" "first data rate")) same ((data body) with ("second rate" "second data rate"))) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:12
S63	121	("subcarrier multiplexing") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:12
S64	0	("subcarrier multiplexing" same "integral multiple") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:12
S65	0	("subcarrier multiplexing" same "integral") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:12
S66	25	("subcarrier multiplexing" same "multiple") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:12
S67	136	("integral multiple" with known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:20
S68	150	("integral multiple" with \$known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:20
S69	5	("integral multiple" with well\$known) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:26
S70	1	"4330856".PN.	USPAT	OR	OFF	2004/03/22 08:25

S71	1	"4174465".PN.	USPAT	OR	OFF	2004/03/22 08:25
S72	1	"4132862".PN.	USPAT	OR	OFF	2004/03/22 08:26
S73	1	"3636524".PN.	USPAT	OR	OFF	2004/03/22 08:26
S74	33	("integral multiple" with "time division") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:26
S75	8	("integral multiple" with "time-division") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:53
S76	33	((("integral multiple" with "time division") and @ad<"19990410") (("integral multiple" with "time-division") and @ad<"19990410"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:31
S77	0	((error adj (message signal)) adj (prior before) adj (retransmission re-transmission resent resending retransmitting re-transmitting re-sent re-sending)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:54
S78	0	((error adj (message signal)) adj3 (prior before) adj3 (retransmission re-transmission resent resending retransmitting re-transmitting re-sent re-sending)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:56
S79	83843	((error adj (message signal))) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 08:57
S80	244	((error adj (message signal)) with (acknowledgement acknowledgment ack)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:04
S81	442	("error notification") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:05
S82	2	("error notification" with retransmission) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:05

S83	0	("error notification" with retransmitting) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:05
S84	0	("error notification" with re-transmitting) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:06
S85	0	("error notification" with re-transmission) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:06
S86	0	("error notification" with re-transmits) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:06
S87	2	("error notification" with retransmits) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:09
S88	1309	("error frame") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:09
S89	7	("error frame" with (ack acknowledgement acknowledgment)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S90	167	(error near acknowledge) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:32
S91	16	(nack adj acknowledge) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:34
S92	9640	((timeout time-out "time out") with (message signal)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:38

S93	169	((timeout time-out "time out") with (message signal) with acknowledge) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:42
S94	40	((((timeout time-out "time out") adj (message signal)) with acknowledge) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:00
S95	0	((((timeout time-out "time out") adj (message signal)) same "adjust rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:01
S96	0	((((timeout time-out "time out") adj (message signal)) same (adjust with rate)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:36
S97	19	((error with register) same (adjust with rate)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:56
S98	158	("signal strength" with register) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 12:50
S99	0	("signal strength" with "adjust rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 12:50
S10 0	0	("signal strength" same "adjust rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 12:55
S10 1	2	("signal strength" same "vary rate") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 13:26
S10 2	371	("communications protocol" same processor same program) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 13:30

S10 3	204	("communications protocol" same processor same instructions) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 13:30
S10 4	0	("communications protocol" same "processor with instructions") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 13:31
S10 5	139	("communications protocol" same (processor with instructions)) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:44
S10 6	72	("solid state" with memory with "well known") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:44
S10 9	4	"2314487"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:48
S11 0	2	"4709364".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:26
S11 1	2	"6232932".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:26
S11 2	0	("370471".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 08:32
S11 3	234	("370/471".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 09:08
S11 4	614	("370/474".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:40

S11 5	140	("714/708".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 09:35
S11 6	360	("370/477".ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:45
S11 7	93	("5506864" "5663956" "5974039" "5179572" "5365544" "4964164" "5943331" "6141332" "5228056" "5420896" "5627855" "5802102" "5263045" "5289471" "5400320" "5600782" "4455622" "4887260" "5513191" "5878057" "5901160" "6124878" "4516201" "4965820" "5249220" "5329547" "5568513" "5606707" "5652796" "5701329" "5815573" "5822359" "5905756" "6196466" "6223047" "6223047" "6240304" "4423287" "4476559" "4606047" "4799242" "5493709" "5526370" "5559502" "5701316" "5778009" "5875350" "5910182" "5949884" "6011796").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:45
S11 8	72	(370/481.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 14:33
S11 9	210	(370/493-495.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 15:04
S12 0	176	(370/528.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 15:25
S12 1	391	(709/236.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 08:39
S12 2	179	(709/233.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 09:49

S12 3	392	(709/232.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 09:49
S12 4	68	(header same "payload size") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 09:57
S12 5	267	(header same "size field") and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 09:57
S12 6	220	(710/29.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:56
S12 7	114	(710/30.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:56
S12 8	340	(710/105.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:56
S12 9	136	(710/106.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:56
S13 0	624	(710/107.ccls.) and @ad<"19990410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:56